


Patent Claims*Crystal modification*

1. *Modification A* of the compound 1-(2,6-difluorobenzyl)-1H-1,2,3-triazole-4-carboxamide of the formula



characterized by characteristic lines at interplanar spacings (d values) of 10.5 Å, 5.14 Å, 4.84 Å, 4.55 Å, 4.34 Å, 4.07 Å, 3.51 Å, 3.48 Å, 3.25 Å, 3.19 Å, 3.15 Å, 3.07 Å, 2.81 Å, determined by means of an X-ray powder pattern.

The crystal

2. *Modification* according to Claim 1, characterized by an X-ray powder pattern having the following characteristic lines at interplanar spacings (d values) of 10.9 Å (weak), 10.5 Å (medium), 6.6 Å (weak), 5.63 Å (weak), 5.25 Å (weak), 5.14 Å (medium), 4.94 Å (weak), 4.84 Å (very strong), 4.55 Å (strong), 4.42 Å (very weak), 4.34 Å (medium), 4.23 Å (very weak), 4.16 Å (weak), 4.07 Å (medium), 4.01 Å (weak), 3.68 Å (very weak), 3.64 Å (very weak), 3.60 Å (weak), 3.56 Å (weak), 3.51 Å (medium), 3.48 Å (medium), 3.38 Å (very weak), 3.25 Å (strong), 3.19 Å (medium), 3.15 Å (medium), 3.11 Å (weak), 3.07 Å (medium), 2.93 Å (very weak), 2.87 Å (very weak), 2.81 Å (medium), 2.76 Å (weak), 2.73 Å (very weak), 2.68 Å (weak), 2.62 Å (very weak), 2.53 Å (weak), 2.43 Å (weak), 2.40 Å (very weak).

The crystal

3. *Modification* according to Claim 1 or 2, characterized by the following absorptions in the FT-IR spectrum (KBr pellet - transmission method) 3092 cm⁻¹ and 3412 cm⁻¹.

- The crystal*
4. Modification according to Claim 3, characterized by the following absorptions in the FT-IR spectrum (KBr pellet - transmission method): 3412, 3189, 3092, 1634, 1560, 1473, 1397, 1325, 1300, 1284, 1235, 1125, 1053, 1036, 1014, 885, 840, 799, 781, 723, 688 and 640 cm^{-1} .
- The crystal* *Claim 1*
5. Modification according to ~~any one of Claims 1-4~~, characterized by the following absorptions in the FT-Raman spectrum (powder - reflection method 180°): 3093, 2972, 1628, 1614, 1558, 1465, 1446, 1393, 1279, 1245, 1147, 1080, 1061, 1036, 1014, 840, 724, 691, 667, 550, 499, 437 and 368 cm^{-1} .
- The crystal* *Claim 1*
6. Modification A according to ~~any one of Claims 1-5~~, characterized by an endothermic peak in the range from 230 $^\circ\text{C}$ to 260 $^\circ\text{C}$, the peak temperature being 239-245 $^\circ\text{C}$ and the endothermic signal being 209 J/g \pm 10 J/g.
- The crystal*
7. Modification A' of the compound 1-(2,6-difluorobenzyl)-1H-1,2,3-triazole-4-carboxamide, characterized in that it is identical to the modification A according to ~~any one of Claims 1-6~~ but has defects in the crystal lattice.
- The crystal* *Claim 1*
8. Modification A' according to Claim 7, characterized by line spacings, smaller compared to modification A according to any one of Claims 1-6, between the pairs of lines at interplanar spacings 3.68 Å and 3.64 Å, 3.51 Å and 3.48 Å, and 3.19 Å and 3.15 Å.
9. Modification A or A' according to ~~any one of Claims 1-8~~ in essentially pure form.
10. Pharmaceutical preparations comprising the modification A or A' of the compound 1-(2,6-difluorobenzyl)-1H-1,2,3-triazole-4-carboxamide according to ~~any one of Claims 1-9~~ and pharmaceutically usable excipients and additives.

11. Use of the modification A or A' of 1-(2,6-difluorobenzyl)-1H-1,2,3-triazole-4-carboxamide according to ~~any one of Claims 1-9~~ *claim 1* as a pharmaceutical preparation.
12. Use of the modification A or A' of 1-(2,6-difluorobenzyl)-1H-1,2,3-triazole-4-carboxamide according to ~~any one of Claims 1-9~~ *claim 1* for the preparation of pharmaceutical preparations for the treatment of epilepsy and subindications thereof.
13. *Crystal* A A modification of the compound 1-(2,6-difluorobenzyl)-1H-1,2,3-triazole-4-carboxamide characterized by bands at 3412 cm^{-1} and 3092 cm^{-1} in the FT-IR spectrum.
14. *Crystal* A A modification of the compound 1-(2,6-difluorobenzyl)-1H-1,2,3-triazole-4-carboxamide characterized by a band at 1080 cm^{-1} in the FT-Raman spectrum.
15. A pharmaceutical preparation comprising a modification according to ~~claim 13 or~~ *claim 1* and pharmaceutically usable excipients and additives.